

Fig. 1

thin there is the part of the ball

3D structure topology






Fig. 2

Structural Deviations

4 beta elements:



5 beta elements:



6 beta elements-a:

ļ-1 m

--**t**fi

> ļ-k TŲ. jak jak C.J

> > ļ.

6 beta elements-b:





Fig. 3a

TITLE: A STRUCTURE FOR PRESENTING DESIRED PEPTIDE SEQUENCES


Inventor: Hourtzager et al. Docket No.: 2183-5208US

7 beta elements-a:

7 beta elements-b:



2DLI: Immunoglobulin killer receptor 2dl2




1FF5: E-cadherin domain

8 beta elements:


all that the all the

then of the start of the start

9 beta elements:




1IAR: Interleukin-4 alpha receptor




All antibody and T-cell receptor variable domains

TITLE: A STRUCTURE FOR PRESENTING
DESIRED PEPTIDE SEQUENCES
Inventor: Hourtzager et al.
Docket No.: 2183-5208US

Modular Affinity & Scaffold Transfer (MAST) T€





m LII ļ. []

TITLE: A STRUCTURE FOR PRESENTING DESIRED PEPTIDE SEQUENCES Inventor: Hourtzager et al. Docket No.: 2183-5208US

Structural alignment: examples of 1F2x V_{HH} camelid antibody variable fragment A gran gran, in the trans the second of the

Figure elements explaned:

Underlined domains represent (putative) beta-elements 1-9 Capital letters indicate conserved structural amino acids indicate the absence of amino acid residues

Aligned protein domains from:

Heavy chain from human Iggl 8FAB

Human Vcam-1 JVSC

Structure Of Hov Protease (Bk Strain) from hepatitis C-virus **1NS3** 1 F97

Fragment Of Human Fibronectin Encompassing Type-lii Repeats 7 Through 10 Soluble Part Of The Junction Adhesion Molecule From Mouse 1 FINF

Drosophila neuroglian 1CFB

Human Interleukin-4 receptor alpha chain complex IAR

E. Coli (Lacz) Beta-Galactosidase (Orthorhombic)

Fig. 5

TITLE: A STRUCTURE FOR PRESENTING DESIRED PEPTIDE SEQUENCES Inventor: Hourtzager et al.

Docket No.: 2183-5208US

Scaffold with V_{HH} 1MEL CDR regi ns

NVKLVEKGGNFVENDDDLKL AATGTGAAACTGGTTGAAAAAGGTGGCAATTTCGTCGAAAACGATGACGATCTTAAGCTC T C R A E G Y T I G P Y C M G W F R Q A PNDDSTNVATINMGGGITYY CCGAACGACGACAGTACTAACGTGGCCACGATCAACATGGGTGGCGGTATTACGTACTAC GDSVKERFDIRR DИ ASNTVT GGTGACTCCGTCAAAGAGCGCTTCGATATCCGTCGCGACAACGCGTCCAACACCGTTACC LSMDDLQPEDSAEYNCAGDS TTATCGATGGACGATCTGCAACCGGAAGACTCTGCAGAATACAATTGTGCAGGTGATTCT TIYASYYECGHGLSTGGYG <u>ACCATTTACGCGAGCTATTATGAATGTGGTCATGGCCTGAGTACCGGCGGTTACGGCTAC</u> SHYRGQGTDVTVSS GATAGCCACTACCGTGGTCAGGGTACCGACGTTACCGTCTCGTCG

Scaffold with V_{HH} 1BZQ CDR regions

NVKLVEKGGNEVENDDDLKL AATGTGAAACTGGTTGAAAAAGGTGGCAATTTCGTCGAAAACGATGACGATCTTAAGCTC TCRASGYAYTYIYMGWFRQA V A PNDDSTN S G CCGAACGACGACAGTACTAACGTGGCCACCATCGAC<u>TCGGGTGGCGG</u>CGGTACCCTGTAC GDSVKERFDIRRDKGSN GGTGACTCCGTCAAAGAGCGCTTCGATATCCGTCGCGACAAAGGCTCCAACACCGTTACC L S M D D L Q P E D S /A E Y N C A A G G TTATCGATGGACGATCTGCAACCGGAAGACTCTGCAGAATACAATTGTGCA<u>GCGGGTGGC</u> Y E L R D R T Y G Q R G Q G T D V T V S TACGAACTGCGCGACCGCACCTACGGTCAGCGTGGTCAGGGTACCGACGTTACCGTCTCG TCG

Scaffold with V_{HH} 1HCV CDR regions

NVKLVEKGGNFV ENDDDLKL **AATGTGAAACTGGTTGAAAAAGGTGGCAATTTCGTCGAAAACGATGACGATCTTAAGCTC** T C R A E G R T G S T Y D M G W F R PNDDSTNVATINWOSARTYY GGTGACTCCGTCAAAGAGCGCTTCGATATCCGTCGCGACAATGCCTCCAACACCGTTACC LSMDDLQPEDSAEYNCAGGE TTATCGATGGACGATCTGCAACCGGAAGACTCTGCAGAATACAATTGTGCAGGTGGTGAA G G T W D S R G O G T D V T V S S **GGCGGCACCTGGGATAGCCGTGGTCAGGGTACCGACGTTACCGTCTCGTCG**

Underlined regions indicate specific affinity regions.

The sequence of underlined regions in each panel represent respectively loop L2 (~CDR1 and AR1), L4 (~CDR2 and AR2) and L8 (~CDR3 and AR4).

Docket No.: 2183-5208US

Stru utural't p logy of a primairy scaffold




Fig. 6b

ha Cij

dan dan

m

Ľ,

ļ.